

## Product Data

Wipe, Dupont

Model : MP - Knit

Code : 5327 Series



### Features

DuPont™ MP Knit™ is specially designed for class 10 - 100 cleanroom environment. It manages every step from fabric manufacturing through to packaging to reduce product contamination.

### Characteristics

Extremely low in both particles and fibres.

Strong, solvent resistant 100% polyester.

Abrasion and chemical resistant.

Sealed edges prevent particle or lint generation.

Unique aperture pattern.

Double packaged in bags.

### Application

Class 10 - 100 cleanroom for Semiconductor, LCD, Electronics manufacturing.

Picking up liquid spills in the cleanroom.

Polishing and cleaning of relays, contacts and switches.

Cleaning lab apparatus.

### Dimension

9" x 9" (229 mm x 229 mm)      150 Wipes / bag      8 bags / Carton

#### Pro-Pack Materials Pte Ltd

Blk 970, Toa Payoh North, #04-18  
Toa Payoh Industrial Estate  
Singapore 318992

Tel : +65 63541511  
Fax : +65 63541711  
Email : sales@pro-pack.com.sg  
Website : www.pro-pack.com.sg

Regional Offices :

**Malaysia**  
Bold Pack Industries Sdn Bhd

**Indonesia**  
PT Pro-Pack Industries

**Thailand**  
Bold-Pack Materials (Thai) Co. Ltd

**Philippines**  
Pro-Pack Materials (Philippines) Inc.

**India**  
Pro-Pack Materials India Pvt Ltd

**China**  
Pro-Pack Materials (Wuxi) Co., Ltd

## Product Data

Wipe, Dupont

Model : MP - Knit

Code : 5327 Series



Properties	Results	Unit	Test Method
Basic Weight	130	g/m <sup>2</sup>	TM D3776 /JIS-L-1096 8.4 / KS K 05
Absorbency Capacity	>350	ml/m <sup>2</sup>	IES-RP-CC004.2 7.1
Absorbency Efficiency	2.67	ml/g	KS K 0215 7.1.TWTM #3
Absorbency Time to sorption	<3	sec	WWTM-006/007
Tensile Strength Machine direction (MD)	70.7	kg	ASTM D5034
Tensile Strength Cross direction (XD)	66.5	kg	ASTM D5034
Thickness (µm)	490 +/- 10	µm	

### Contamination Characteristics

#### Particle (>0.5 µm & > 0.3 µm)

Orbital Shake, SEM	18.5 x 10 <sup>6</sup>	ea/m <sup>2</sup> , >0.5	IES-RP-CC004.2 5.2
Dry Flex	<60	ea/cft, > 0.3 µm	JIS-B-9923 6.2 Tumbling

#### NVR

Di Water	0.02	g/m <sup>2</sup>	IES-RP-CC04.2 6.1
IPA	0.1	g/m <sup>2</sup>	IES-RP-CC04.2 6.1

#### Extractable Ions

Na	0.2	ppm	IES-RP-CC004.2 6.2
K	0.05	ppm	IES-RP-CC004.2 6.2
Cl	0.3	ppm	IES-RP-CC004.2 6.2
NO <sub>2</sub>	0.01	ppm	IES-RP-CC004.2 6.2

### Pro-Pack Materials Pte Ltd

Blk 970, Toa Payoh North, #04-18  
Toa Payoh Industrial Estate  
Singapore 318992

Tel : +65 63541511  
Fax : +65 63541711  
Email : sales@pro-pack.com.sg  
Website : www.pro-pack.com.sg

Regional Offices :

**Malaysia**  
Bold Pack Industries Sdn Bhd

**Indonesia**  
PT Pro-Pack Industries

**Thailand**  
Bold-Pack Materials (Thai) Co. Ltd

**Philippines**  
Pro-Pack Materials (Philippines) Inc.

**India**  
Pro-Pack Materials India Pvt Ltd

**China**  
Pro-Pack Materials (Wuxi) Co., Ltd