

PRODUCT INFORMATION

Product Description	Anti-Static Shielding Bag with Printing
Product Code	1001-0125
Packaging	150 pcs/carton
Recommended Storage Condition	Temperature: 5 to 30°C Relative Humidity: 40 to 60%

MATERIAL SPECIFICATION

Material & Structure	ESD / PET-VM / ONY / LLDPE / ESD
---------------------------------	----------------------------------

DIMENSION


Overall Dimension	430mm (W) x 380mm (G) x 900mm (L)
Inner Dimension	410mm (W) x 360mm (G) x 880mm (L)

Dimension		Specification	Tolerance
O.D	Width	430mm	±2 mm
	Height	380mm	±2 mm
	Length	900mm	±5 mm
I.D	Width	410mm	±2 mm
	Length	360mm	±2 mm
		880mm	±5 mm
Thickness		104µm	±10 µm
Sealing		10mm	±2mm

TYPICAL PROPERTIES

CHARACTERISTIC	TEST METHOD	UNIT	VALUE
Surface Resistance	S11.11	ohms	Less than E11

PRINTING



CUSTOMER ACKNOWLEDGEMENT

Version	Revision Date	Pro-Pack Sales PIC (Name/ Signature)	Customer Acknowledgement (Name/ Signature)
A	18 Oct 2024		