


PRODUCT INFORMATION

Product Description	ESD Smock Comes with Attached Bag
Product Code	3003-3300 (S) & 3003-3301 (M) & 3003-3302 (L) & 3003-3303 (XL) & 3003-3304 (2XL) & 3003-3305 (3XL) & 3003-3306 (4XL) & 3003-3307 (5XL)
Colour	Light Blue
Factory Color Code	F8008
Type	Without ESCATEC Logo
Drawing Number	ESCATEC-SMWOH-F8008-01
Surface Resistance	1.0E06≤R<1.0E09
Packing	80pcs/ctn (1pc/bag, 80bags/ctn)
Washing Method	1. If oil and other stains are found in the smock, carefully remove them before entering the washing procedure 2. Before washing, check the smock to see if it is frayed or damaged. Repair and replace the damaged smock 3. The smock with buckle or zipper in washing should be fastened first. 4. Wash and dry in a cleanroom with a higher level than the cleanroom where use the smock 5. Use neutral detergent for smock 6. The maximum temperature for washing:30°C and dry: 50°C
Recommended Storage Condition	1. Storage at room temperature and dry place; 2. Keep away from open flame and flammable anesthetics.



PRODUCT CODE

Size	Smock
S	3003-3300
M	3003-3301
L	3003-3302
XL	3003-3303
2XL	3003-3304
3XL	3003-3305
4XL	3003-3306
5XL	3003-3307

Item		S (mm)	M (mm)	L (mm)	XL (mm)	2XL (mm)	3XL (mm)	4XL (mm)	5XL (mm)	Tolerance
1	Clothes Length	930	950	970	990	1010	1030	1050	1070	±20mm
2	Neckline Circumference	440+40	450+40	450+40	470+40	470+40	490+40	490+40	510+40	±20mm
3	Shoulder Breadth	430	450	470	490	510	530	550	570	±20mm
4	Underarm Width	560	580	600	620	640	660	680	700	±20mm
5	Bottom Width	560	580	600	620	640	660	680	700	±20mm
6	Sleeve Length	550	570	590	610	630	650	670	690	±20mm
7	Shoulder To Pocket	520	540	560	580	600	620	640	660	±20mm

MATERIAL SPECIFICATION

Material/ Type
5mm Grid Antistatic Fabric

CUSTOMER ACKNOWLEDGEMENT

Version	Revision Date	Pro-Pack Sales PIC (Name/ Signature)	Customer Acknowledgement (Name/ Signature)
A	07 May 2024		