

PRODUCT INFORMATION

| | |
|----------------------------|-----------------------------------|
| Product Description | AC Air Ionizer Blower Oriteq 201H |
| Product Code | 4005-0001 |
| Model No. | Oriteq-201H |
| Warranty | 1 year |
| Carton Dimensions | 300 x 220 x 140 mm |
| Carton Weight | 1.75 Kg |




TECHNICAL SPECIFICATION

| Description | Specifications |
|-----------------------|--|
| Power Supply voltage | 24V DC |
| Capacity | 12VA |
| HV Output | 2200V AC |
| Safety Performance | Equipped with ion output monitoring system |
| Decay time | About 1 sec |
| Ion Balance | Auto ion balance, $0 \pm 5V$ |
| Air Volume | 1.3 - 3.25m ³ /min |
| Ozone Density | Less than 0.007ppm |
| Allowable temperature | 0 - 40 °C |
| Allowable humidity | 25 - 70% RH (no drops) |
| Weight | 1.3kg |


FEATURES

| Feature | Benefit |
|--|--|
| Auto ion balance, within $0\pm5V$ | Stable |
| Indicator light equipped | Ionization and abnormality alarm light for easy identification of machine status |
| Special alloy discharge needle | Durability and can be used for 30,000hrs without any replacement. |
| Detach of the front louver | Ease in cleaning of the electrodes |
| Serial connection of up to six unit | Easy connection |
| Electrostatic painted of outside steel plate | Double face coated with rust-resistant zinc |
| CE Standard | Approved |

OVERVIEW AND DIMENSION



PERFORMANCE



CUSTOMER ACKNOWLEDGEMENT

| Version | Revision Date | Pro-Pack Sales PIC (Name/ Signature) | Customer Acknowledgement (Name/ Signature) |
|---------|---------------|---|---|
| A | 01 Oct 2024 | | |