

PRODUCT INFORMATION

Product Description	Grippaz Nitrile Gloves
Product Code	5106-0480 (S), 5106-0481 (M), 5106-0482 (L), 5106-0483 (XL)
Country of Origin	Thailand
Colour	Orange
Storage	Store in a well-ventilated area away from extreme temperatures

MATERIAL SPECIFICATION

Product Descriptions	<ul style="list-style-type: none"> • Offering unparalleled strength and grip. This fit for purpose glove is ideal for mechanics and engineers • Specially formulated nitrile organic compound that offers excellent performance against brake & clutch fluid, hydraulic & engine oil, grease, bleach, hydrogen peroxide, sodium hydroxide and some solvents • Recycled product via Terracycle
Glove Design	Powder-Free, Silicon Free, Grippaz Patented Fish Scale
Manufacturing/QMS Audit Standards	ISO 9001 / ISO 13485
Regulatory	EN ISO 374-1:2016, EN 420:2003+A1:2009, and EN ISO 374-1: A1:2018

PHYSICAL DIMENSIONS

	Typical Values		Testing Method
Length (mm/in)	240 / 9.5		EN 420
Cuff Thickness (mm/mils)	0.13 / 5.1		EN 420
Palm Thickness (mm/mils)	0.15 / 5.9		EN 420
Finger Thickness (mm/mils)	0.17 / 6.7		EN 420
Inspection	For Pinholes		EN 455 Part 1
	Before Aging	After Aging	
Tensile Strength (MPa)	≥ 21	≥ 21	EN 455 Part 2
Elongation at Break (%)	≥ 500	≥ 450	EN 455 Part 2

Size	S	M	L	XL
	85mm	95mm	105mm	115mm



PRODUCT CHARACTERISTIC

- Traction Grip inside and outside for use in oily or wet
- Fish scale surface results in more tear-resistant and puncture-resistant
- Chemical resistant
- Superb snug fit
- Specially formulated nitrile for comfort stretch
- Maximum dexterity
- 100% nitrile, no issues with latex protein allergy
- Touch Screen Friendly
- ESD Safe, Surface Resistance per ASTM D257, Static dissipative range at $10E08 \Omega$ @ 12% Humidity, 48hrs @100Volts

PACKAGING

Packing	50 pieces/ box; 10 box/ carton
Box Dimensions	10.43 in (l) x 10.47 in (w) x 10.16 in (h)
Box Weight	8.60 lbs

DISPENSER BOX DESIGN



CUSTOMER ACKNOWLEDGEMENT

Version	Revision Date	Pro-Pack Sales PIC (Name/ Signature)	Customer Acknowledgement (Name/ Signature)
A	13 May 2024		